2012-5627 2013-01-23

Fiesta Broadleaf Weed Killer For Lawns

Solution

DOMESTIC CONCENTRATE SELECTIVE HERBICIDE

GUARANTEE: Iron (present as FeHEDTA) 4.43%

REG. NO.: 29539 P.C.P. ACT

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN POTENTIAL SKIN SENSITIZER

NET CONTENTS: 100 mL - 4 Litre

Registrant: W. Neudorff GmbH KG An der Muhle 3, Postfach 1209 D-31860 Emmerthal, Germany www.neudorff.com

Canadian Agent: Eco-Care Technologies Inc. 8233 Thomson PI, Saanichton, BC V8M 1S1 Telephone: 250-652-5510 For use on lawn turf consisting of one or more of Kentucky bluegrass , perennial ryegrass, and fescue (tall fescue, chewings fescue, and/or creeping fescue) for control or suppression of broadleaf weeds.

PESTS/SITES:

Controls the following lawn weeds: Dandel ion, English daisy, False dandelion, White clover, Black medic , Bull this tle, Canad a thistle, Common chickweed, Creeping buttercup, Slender speedwell, Narrow-leav ed plantain, Broad-leaved plantain (suppression only), Dove's-foot geranium, Wild geranium, Lawn burweed, Moss, and Algae.

DIRECTIONS FOR USE:

SHAKE WELL BEFORE USING. Push tabs, twist cap to open. O ne litre of product will treat between 62.5 and 250 ml/m² (672.5 and 2700 ft²). Mix one part Fiesta Broadleaf Weed Killer For Lawns with 24 parts water (40 mL with 960 ml of water). Apply the mixed solution at a rate of 100-400 ml/m². The standard rate for Fiesta Broadleaf Weed Killer For Lawns is 200 ml spray/m²; use the higher rate (400 ml spray/m²) on the following tough perennial weeds: broad-leav ed plantain (suppression only), creeping bu ttercup, and Canada thistle. For Canada t histle, best results are obtained when weed s are less than 15 cm tall and two applications may be required for control. Fiesta Broadleaf Weed Killer For Lawns may also be used at 100 ml sprav/m² on moss, black medic, slender speedwell, wild geranium or on weed seedings of false dandelion, English daisy, dandelion or white clover. A second application at this rate may be required to achieve c ontrol of these we eds. Any standard hand-held or backpack sprayer can be used. Use a coarse nozzle se tting to reduce drift. Uniform coverage is important. Repeat treatment every three to four weeks if necessary, up to a maximum of 4 applic ations per area per y ear. For s pot treatment, spray weeds until foliage is thoroughly wetted, just to the point of runoff.

Visible signs of control may be seen within several hours after application. Susceptible weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to several weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

Use Precautions: Do not apply to drought stressed grass; ensure that the I awn is well watered prior to application. Do not appl y when the daytime te mperature will exceed 30°C. Do not apply to bentgrass. If unsure of gr ass sensitivity, test spray a small area of your lawn. Do not apply to newly seed ed areas until 4 or m ore weeks after gras s seedlings have emerged. Avoi d spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed immediately with water. To avoi d staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply grant area per year. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTIONS:

CAUTION: KEEP OUT OF REACH OF CHILDREN. Causes slight eye irritation. Avoid contact with skin or clothing. Wash han ds thoroughly with s oap and water after handling and before eating, drinking, chewing gum or usi ng tobacco. Wear waterproof gloves during applicat ion or during mixing, loading, and repair/cl ean-up activities. DO NOT get in eyes. Avoid breat hing vapour or spray mist. Do not re-enter or allow re-

entry into treated areas until the spray is dried. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID:

If swallowed:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes:

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE:

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. Protect from freezing. To prevent contamination store this product away from food or feed.

DISPOSAL:

Do not reuse empty container. Dispose of empty container wit h household garbage. Unused or partially used products should be di sposed at provincially or municipally designated hazardous waste disposal sites.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with t he directions on the label. T he user assumes the risk to persons or property that arises from any such use of this product.



SELECTIVE BROADLEAF HERBICIDE

People and pets can enter treated area when spray dries. No unpleasant odor. Made with iron. Rainfast in 3 hours See result within hours KILLS WEEDS, NOT LAWNS (1 Litre) Will treat up to 250 m2 (2700 sq. ft)

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.