IN CASE OF EMERGENCY DUE TO A MAJOR SPILL, FIRE OR POISONING INVOLVING THIS PRODUCT CALL DAY OR NIGHT, 1-800-561-8273 or CHEMTREC 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

LOVELAND PRODUCTS CANADA, INC. **24-Hour Emergency Phone:** 1-800-561-8273

789 Donnybrook Drive • Dorchester, Ontario NOL 1G5 Additional Emergency Phone (Canutec): 1-613-996-6666 (Collect)

CHEMICAL IDENTITY: Wintergreen fragrance with emulsifiers

PRODUCT USE: Fragrance PCP REG. NO.: not applicable

SDS Number: 1000641929-15-LPI SDS Revisions: All sections reviewed Date of Issue: 07/08/15 Supersedes: 07/08/12

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN - CAUTION – May cause eye and skin irritation. Avoid contact with eyes, skin and clothing. Avoid breathing mists. Use with adequate ventilation. Eye protection and gloves are suggested when handling undiluted product. Wash thoroughly after handling. Contents may be under pressure. Use caution when opening.

This product is a clear-coloured liquid with wintergreen odour. Primary routes of entry are eye contact and skin contact.

3. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Ingredients: Percentage by Weight: CAS No. TLV (Units)

Proprietary Mixture 100.00

Other ingredients, including

Ethylene Oxide <1 ppm 75-21-8 1 ppm

4. FIRST AID MEASURES

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control centre

or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by

mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to

swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth

to an unconscious person.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273. Take the container label or product name with you when seeking medical attention

5. FIRE FIGHTING MEASURES

FLASH POINT (°C/Test Method): >200°F />93°C.
FLAMMABLE LIMITS (LFL & UFL): Not established

EXTINGUISHING MEDIA: Considered non-combustible, use medium appropriate to surrounding fire. Dry chemical, carbon

dioxide (CO₂), foam, water spray or fog.

HAZARDOUS COMBUSTION PRODUCTS: May include but are not limited to oxides of carbon.

SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to cool containers exposed to fire. Remain upwind. Avoid breathing smoke. Wear self-

contained breathing apparatus and full protective gear.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate area. Contain spill, absorb liquid with clay or other absorbent material. Sweep up material and place in container for possible land application according to label use or for proper disposal. Check local, state and federal regulations for proper disposal.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE

HANDLING: Avoid breathing mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash thoroughly after handling product

and before eating, drinking, using the restroom or using tobacco.

STORAGE: Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area,

preferably in a locked storage are away from children, feed and food products, and seed. Store at ambient temperatures. Do

not contaminate water, food, or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Not normally required. If odour is too strong use local ventilation.

RESPIRATORY PROTECTION: Not normally required, if vapours are too strong wear a NIOSH/MSHA approved respirator.

EYE PROTECTION: Chemical goggles or shielded safety glasses.

SKIN PROTECTION: Wear protective clothing: long-sleeved shirts and pants, hat, rubber boots with socks. Wear rubber or chemical-

resistant gloves.

OSHA PEL 8 hr TWA ACGIH TLV-TWA

Ethylene Oxide 1 ppm 1 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOUR: Clear-coloured liquid with wintergreen odour.

SPECIFIC GRAVITY (Water = 1): 1.08 g/ml

BULK DENSITY: 1.08 kg/L

SOLUBILITY: Complete
pH: Not established

VAPOUR PRESSURE: Not established BOILING POINT: Not established

PERCENT VOLATILE (by volume): Not established EVAPORATION RATE (Butyl Acetate = 1): Not established

Note: These physical data are typical values based on material tested but may vary from sample to sample.

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Excessive heat. Keep containers tightly closed. Avoid prolonged storage at elevated temperatures.

INCOMPATIBILITY: Strong oxidizers and strong acids.

HAZARDOUS DECOMPOSITION PRODUCTS: May include but are not limited to oxides of carbon.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat):Not establishedAcute Dermal LD₅₀ (rabbit):not establishedEye Irritation (rabbit):May cause irritationSkin Irritation (rabbit):May cause irritationInhalation LC₅₀ (rat):Not established.Skin Sensitization (guinea pig):not established.

Carcinogenic Potential: Contains <1ppm Ethylene Oxide: IARC-1: Carcinogenic to Humans; NIOSH-Ca: Potential occupational carcinogen, with no further categorization; NTP-K: Known to Be a Human Carcinogen; OSHA-Ca: Carcinogen defined with no further categorization; ACGIH: TLV-A2:

Suspected Human Carcinogen

Target Organs: Eyes, skin, respiratory system, and bladder.

12. ECOLOGICAL INFORMATION

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

13. DISPOSAL CONSIDERATIONS

Do not reuse containers for any purpose. Container is recyclable, and is to be disposed of at a container collection site. Contact your local dealer/distributor for the location of the nearest collection site. Before taking container to the collection site: Triple or pressure-rinse the empty container, adding the rinsate to the spray tank. Make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

TDG/DOT Shipping Description: NOT REGULATED

Freight Classification: EXTRACTS, FLAVORING/ODOR MASKING COMPOUNDS, NOI, LIQUID, PASTE OR DRY (NMFC 72910; CLASS: 70)

Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes

15. REGULATORY INFORMATION

SARA Hazard Notification/Reporting NFPA & HMIS Hazard Ratings:

NFPA

0

HMIS

Health

Least Slight Moderate

Health Flammability 0 0 Reactivity В **PPE**

Instability

Flammability

3 High

Severe

SARA Title III Hazard Category:

Immediate Delayed

Fire Reactive Sudden Release of Pressure

Reportable Quantity (RQ) under U.S. CERCLA: Not listed

SARA, Title III, Section 313: Not listed RCRA Waste Code: Not listed CA Proposition 65: Not applicable WHMIS Classification: Class D2B

16. OTHER INFORMATION

SDS STATUS: All sections reviewed

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Safety and Health

Ethoxylated products may contain residual amounts of ethylene oxide (EO) which can accumulate in the container headspace and be released into the ambient environment. This process is enhanced when the product is agitated, as during tank car loading and unloading, and blending operations. Ethylene oxide causes tumors in laboratory animals. The Occupational Safety and Health Administration (OSHA) Permissible Exposure Level (PEL) for EO is 1 ppm for an eight-hour time weighted average exposure. The standard regulates occupational exposure to EO from all sources, including products containing residual EO. It is the responsibility of the employer to comply with OSHA ethylene oxide standard (29) CFR 1910.1047).

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a quarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.