PRECISION LABORATORIES, LLC



Updated: April 14, 2017

Page 1 of 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Knockdown™

Supplier: Precision Laboratories, LLC

1429 S. Shields Drive Waukegan, IL 60085

Product Use: Foam Suppressant

Emergency telephone number: (Chemtrec Information 24 hours) (800) 424-9300

Customer Service, call: (847) 596-3001

2. HAZARDS IDENTIFICATION

GHS Classification:

Eye Irritation, Category 2B, H320

Signal Word: Warning **Hazard Statements:**

H320: Causes eye irritation. **Precautionary Statements:**

Prevention

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash protective equipment and work clothes thoroughly after handling.

Response

P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention or advice.

3. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u> <u>CAS Number</u> <u>Weight %</u>
Silicones Proprietary 5%-15%

4. FIRST AID MEASURES

IF SWALLOWED: Rinse mouth. Have person sip a glass of water if able to swallow. Do NOT induce vomiting, unless told to by a

poison control center or doctor. Do not give anything to an unconscious person.

IF ON SKIN: Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation occurs: Get

medical advice or attention.

IF INHALED: Move person to fresh air. If person is having difficulty breathing, give oxygen. If not breathing, give artificial

respiration.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice or attention.

Medical Conditions Aggravated by Overexposure: Repeated or prolonged exposure is not known to aggravate medical condition.

Other Effects: This product is not a carcinogen by NTP, OSHA and ACGIH.

5. FIREFIGHTING MEASURES

Suitable Extinguishing media: Water spray, foam, CO₂, or dry chemicals may be used in areas where this product is stored.

Specific Hazards: None

PRECISION LABORATORIES, LLC



Updated: April 14, 2017

Page **2** of **4**

PPE and Precautions: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill: Contain spilled liquid by diking, sand bags, etc. Absorb on inert material, mop up, wipe up, and place into drums

for containment and disposal. Wear appropriate skin protection. Observe all federal spill and water quality

regulations.

Dispose of collected waste in accordance with federal, state and local regulations. Disposal:

7. HANDLING AND STORAGE

Wear eye and skin protection. Store above 32°F (0°C) to prevent freezing. Keep lids on containers when not in use. Properly dispose of empty containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits: N/D

Eye/Face Protections: Wear protective eyewear. Contact lenses should not be worn when working with chemicals.

Skin Protection: Wear chemical resistant gloves. As precautions, wash hands and face with mild soap and water

before eating, drinking, smoking or using restroom. After each shift, clean all protective

equipment, wash work clothes, and shower.

Respiratory Protection: Not required under normal use conditions with good ventilation. Protect against spray mists.

General Protection: Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Wash thoroughly after

handling product.

Note: When selecting personal protective equipment and clothing, follow all of the manufacturer

> specifications and recommendations that apply to your specific operation and processing conditions. Take into consideration all working conditions and all chemicals to be handled or processed. Eye wash fountains and drench showers should be located within a 10 second walk

from the work area per ANSI Z358.1-2009.

Personal Protection in Case of Large Spill: Splash goggles, full suit, boots and gloves.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Milky-white viscous liquid	UEL:	N/D
Odor:	Mild	LEL:	N/D
Odor Threshold:	N/D	Vapor Pressure:	N/D
pH:	7.0-8.0	Vapor Density:	>1
Melting Point:	N/D	Relative Density:	1.01 sg
Freezing Point:	N/D	Solubility:	Dispersibl
	4-		

ble in water

Boiling Point: N/D Partition Coefficient: N/D Flash Point: >200°F Autoignition Temperature: N/D N/D Decomposition Temperature: N/D **Evaporation Rate:**

Flammability: N/D

10. STABILITY AND REACTIVITY

Stable Stability:

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Condition to Avoid: None known.

Incompatible Materials: None with proper handling and storage.

Hazardous Decomposition Products: Does not apply.

PRECISION LABORATORIES, LLC

PRECISION LABORATORIES

Updated: November 12, 2014

Page 3 of 4

11. TOXICOLOGICAL INFORMATION

No toxicological data is available for this product.

12. ECOLOGICAL INFORMATION

No ecological data is available for this product.

13. DISPOSAL CONSIDERATIONS

Component Waste Numbers: No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions: Remove to landfill where permitted under local regulations.

Container Reuse: An empty container can contain product residue, and should not be reused. If not

professionally cleaned and reconditioned, crushing or other means is recommended to

prevent unauthorized reuse.

14. TRANSPORT INFORMATION

DOT Status (Highway and rail): Not Regulated IATA Status (Air): Not Regulated

Marine Pollutant: No

15. REGULATORY INFORMATION

TSCA: All components of this product are listed under the regulation of the Toxic Substance Control Act.

SARA HAZARD: No California Proposition 65:

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm.

<u>C.A.S. Number</u> <u>Weight Percentage</u> <u>Component Name</u> 140-88-5 <11 ppm Ethyl acrylate

10. OTHER INFORMATION

HMIS Hazard Rating

HEALTH 1

FLAMMABILITY 0

REACTIVITY 0

PERSONAL PROTECTION X

NFPA Rating



Date Prepared: March 26, 2014 Last Updated: April 14, 2017

WHILE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, PRECISION LABORATORIES, LLC MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

PRECISION LABORATORIES, LLC



Page 4 of 4

N/R-Not Rated

N/D-Not Determined

N/A-Not Applicable

N/E—Not Established

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration., NJTSR = New Jersey Trade Secret Registry.