

# SpotOn®

US Patent # 8297131

## SPRAYER CALIBRATOR MODEL SC-2

ACCURATE FLOW RATE, APPLICATION RATE, AND TIP WEAR  
MEASUREMENT IN SECONDS



### NEW!

- Automatically calculates tip wear in % and application rate in GPA/LPH
- Increased capacity and accuracy over previous model

## FEATURES

- No calculations or app download required:  
Automatically calculates and displays tip flow rate in GPM, LPM, oz/min, tip wear in %, and application rate in GPA/LPH (just enter your speed and nozzle spacing).
- Fast and simple operation:  
Readings in about 10 seconds per tip.
- Quickly find worn spray nozzle tips:  
Industry guidelines recommend tip replacement once flow rate exceeds that of the new tip by 10%.
- Accurately measure true tip flow rate:  
Today's high-tech sprayers can only be properly calibrated and confirmed with this knowledge.

## SPECIFICATIONS

<b>Range:</b>	0.02 – 2.25 GPM, 0.08 – 8.52 LPM, 3 – 288 oz/min (GPM in US Gallons)
<b>Accuracy:</b>	+/- 2% or 1 Digit
<b>Resolution:</b>	0.01 GPM, 0.01 L/min, 1 oz/min
<b>Fluid Compatibility:</b>	Water & Water Based Solutions Only
<b>Battery:</b>	CR2032 Included (3 Year Battery Life)
<b>Size:</b>	3" (7.6 cm) Dia x 8.75" (22 cm) Tall
<b>Weight:</b>	0.6 lbs (272 g)

Every unit is hand calibrated and  
verified with water to assure top  
accuracy in the field.



Visit us at [www.innoquestinc.com](http://www.innoquestinc.com) for complete details.

YOUTUBE.COM



SEE THE DEMO VIDEO, SEARCH  
SpotOn Sprayer Calibrator Model SC-2

Sprayer Calibrator Model SC-2 • Item #38790 • One year warranty • Made in USA

**innoquest**  
Inc.

910 Hobe Road, Woodstock, IL 60098 • Phone: 815.337.8555 • Fax: 815.337.8556 • [www.innoquestinc.com](http://www.innoquestinc.com)

© 2021 Innoquest, Inc. - USA P/N 39130 Rev. 0